



Report No.: A22-16831
Report Date: 23-Nov-22
Date Submitted: 11-Nov-22
Your Reference: SEYMOUR EXTENSION

Joshua Gold Resources
Unit 20-1033 Pattullo Ave
Woodstock ON N4V 1C8
Canada

ATTN: Drew Currah

CERTIFICATE OF ANALYSIS


7 Rock samples were submitted for analysis.

Table with 2 columns: Analytical package(s) requested, Testing Date. Row 1: UT-7, QOP Sodium Peroxide (Sodium Peroxide Fusion ICPOES + ICPMS), 2022-11-16 14:26:58

REPORT A22-16831

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:



LabID: 266

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

CERTIFIED BY:

Handwritten signature of Mark Vandergeest

Mark Vandergeest
Quality Control Coordinator

Results

Activation Laboratories Ltd.

Report: A22-16831

Analyte Symbol	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Fe	Ga	Gd	Ge	Ho	Hf	In
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	5	10	3	3	2	0.01	2	0.8	0.2	30	0.1	2	0.3	0.1	0.1	0.05	0.2	0.1	0.7	0.2	10	0.2
Method Code	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2
P100	6.86	< 5	< 10	544	4	< 2	0.29	< 2	4.3	0.8	30	14.6	5	1.5	0.4	0.4	0.43	40.9	1.2	2.7	< 0.2	10	< 0.2
T2-A	7.24	< 5	10	638	< 3	< 2	7.91	< 2	5.2	50.1	310	2.1	146	2.8	1.6	0.9	8.27	16.0	1.6	1.9	0.5	< 10	< 0.2
3	7.00	< 5	20	116	< 3	< 2	1.96	< 2	10.2	4.0	30	3.2	13	0.5	0.4	0.1	1.46	19.2	0.4	0.7	< 0.2	< 10	< 0.2
4	8.15	< 5	20	1250	< 3	< 2	2.18	< 2	49.3	10.5	50	5.8	6	1.3	0.5	1.3	2.51	21.5	2.0	< 0.7	0.2	< 10	< 0.2
5	7.32	< 5	< 10	408	< 3	< 2	0.94	< 2	6.7	0.7	30	1.4	8	1.6	0.8	0.5	0.71	14.4	1.2	0.9	0.4	< 10	< 0.2
6	8.40	< 5	< 10	1550	< 3	< 2	2.31	< 2	75.1	10.6	60	3.7	14	1.5	1.0	1.8	2.43	22.9	3.4	0.7	0.3	< 10	< 0.2
T7-A	6.80	< 5	< 10	318	< 3	< 2	1.47	< 2	10.6	2.2	< 30	8.2	4	1.1	0.6	0.5	1.06	15.2	0.7	1.1	< 0.2	< 10	< 0.2

Analyte Symbol	K	La	Li	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pr	Rb	S	Sb	Se	Si	Sm	Sn	Sr	Ta	Tb	Te	Th
Unit Symbol	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.4	15	0.01	3	1	2.4	0.4	10	0.8	0.1	0.4	0.01	2	8	0.01	0.1	0.5	3	0.2	0.1	6	0.1
Method Code	FUS- Na2O2	FUS- MS- Na2O2	FUS- Na2O2	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2
P100	5.1	1.4	< 15	0.02	853	8	30.0	2.1	20	53.7	0.6	820	0.03	< 2	13	> 30.0	1.2	2.0	128	12.9	0.3	12	8.4
T2-A	1.1	2.3	41	4.83	1610	7	4.0	3.0	140	1.3	0.7	85.5	0.06	< 2	15	22.9	1.8	1.0	251	1.1	0.4	8	0.2
3	0.7	5.6	75	0.23	276	9	7.0	2.9	40	11.6	0.9	46.8	0.03	< 2	< 8	> 30.0	0.6	1.8	218	1.0	< 0.1	11	8.9
4	2.5	22.6	104	0.99	420	9	7.2	20.5	30	26.9	5.6	83.3	0.03	< 2	13	> 30.0	3.6	1.0	821	1.0	0.3	9	8.5
5	3.7	3.6	< 15	0.06	135	7	5.2	2.1	20	20.9	0.8	139	0.02	< 2	17	> 30.0	1.0	< 0.5	111	1.8	0.3	12	7.5
6	3.1	42.6	159	0.96	451	9	6.5	30.8	30	36.8	8.5	90.7	0.06	< 2	8	> 30.0	4.9	< 0.5	866	0.8	0.4	11	9.9
T7-A	1.8	5.3	96	0.19	209	9	6.8	3.5	20	11.9	0.9	74.3	0.02	< 2	10	> 30.0	0.7	1.5	149	0.9	0.1	12	4.8

Analyte Symbol	Ti	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Method Code	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2
P100	< 0.01	5.4	< 0.1	6.0	6	1.6	18.0	1.2	50
T2-A	0.36	0.7	0.3	0.1	246	1.1	14.6	1.6	120
3	0.09	0.3	< 0.1	1.0	19	< 0.7	2.9	0.3	90
4	0.23	0.4	< 0.1	3.3	48	1.3	6.1	0.4	90
5	0.03	0.8	0.2	5.5	6	0.8	10.9	1.1	40
6	0.23	0.4	< 0.1	3.0	52	0.8	7.1	0.6	80
T7-A	0.06	0.2	< 0.1	3.0	11	0.7	6.6	0.7	50

Analyte Symbol	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Fe	Ga	Gd	Ge	Ho	Hf	In
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	5	10	3	3	2	0.01	2	0.8	0.2	30	0.1	2	0.3	0.1	0.1	0.05	0.2	0.1	0.7	0.2	10	0.2
Method Code	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
PTM-1a Meas		2210								> 5000			> 10000										
PTM-1a Cert		2200								20500.00			249600.00										
NIST 696 Meas	> 25.0										340												
NIST 696 Cert	28.9										321.0												
Oreas 74a (Fusion) Meas		46								578	1720		1180				13.7						
Oreas 74a (Fusion) Cert		50								581	1800.00		1240.00				13.7						
OREAS 101a (Fusion) Meas									1420	49.4			436	35.6	19.2	8.6	11.0		46.3		6.7		
OREAS 101a (Fusion) Cert									1400	48.8			434	33.3	19.5	8.06	11.06		43.4		6.46		
NCS DC86314 Meas												2850											
NCS DC86314 Cert												2830											
NCS DC86313 Meas					> 5000																		
NCS DC86313 Cert					10880																		
CZN-4 Meas	0.08	360						2660		97.3			4070										
CZN-4 Cert	0.0715	356.00						2604.000		93.5			4030.00										
OREAS 183 (Fusion ICP) Meas										222													
OREAS 183 (Fusion ICP) Cert										222.00													
Lithium Tetraborate FX-LT 100 lot#220610B Meas			> 10000																				
Lithium Tetraborate FX-LT 100 lot#220610B Cert			255700																				
OREAS 922 (Peroxide Fusion) Meas	7.95						0.41										5.81						
OREAS 922 (Peroxide Fusion) Cert	7.59						0.49										5.71						
OREAS 621 (Peroxide Fusion) Meas	6.68	82		2620	< 3	4	2.02	267	54.2	30.0	70	3.6	3570				3.74	26.6				1.8	
OREAS 621 (Peroxide Fusion) Cert	6.63	85		2610	2	4	2.00	295	52.0	31.4	50	3.6	3680				3.71	26.5				1.9	
CCU-1e Meas	0.14	1110						75		318			> 10000				> 30.0						
CCU-1e Cert	0.139	1010						74.2		301			229000				30.7						
OREAS 680 (Peroxide Fusion) Meas	7.26						5.80										11.7						
OREAS 680 (Peroxide Fusion) Cert	7.19						5.80										11.9						

Analyte Symbol	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Fe	Ga	Gd	Ge	Ho	Hf	In
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	5	10	3	3	2	0.01	2	0.8	0.2	30	0.1	2	0.3	0.1	0.1	0.05	0.2	0.1	0.7	0.2	10	0.2
Method Code	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
OREAS 139 (Peroxide Fusion) Meas	3.86						1.24										11.8						
OREAS 139 (Peroxide Fusion) Cert	3.70						1.20										11.9						
OREAS 624 (Peroxide Fusion) Meas	4.36	122		992		21	1.48	125	29.6	280		1.5	> 10000				16.3	20.3					3.9
OREAS 624 (Peroxide Fusion) Cert	4.32	115		1070		21.3	1.49	133	32.9	273		1.32	30800				16.3	22.1					4.14
OREAS 124 (Peroxide Fusion) Meas	4.72			1040	< 3		0.10		46.1		90			2.6	1.6	1.6	1.57	9.7	3.5		0.5	< 10	
OREAS 124 (Peroxide Fusion) Cert	4.62			1020	1.83		0.0880		47.6		51.0			2.82	1.60	1.15	1.56	10.5	3.47		0.580	6.22	
AMIS 0346 (Peroxide Fusion) Meas																	> 30.0						
AMIS 0346 (Peroxide Fusion) Cert																	44.3						
NCS DC73520 Meas																							
NCS DC73520 Cert																							
OREAS 148 (Peroxide Fusion) Meas	5.36						0.86										3.02						
OREAS 148 (Peroxide Fusion) Cert	5.37						0.90										3.06						
Method Blank	< 0.01						< 0.01										< 0.05						
Method Blank	< 0.01						< 0.01										< 0.05						
Method Blank	< 0.01						< 0.01										< 0.05						
Method Blank	< 0.01						< 0.01										< 0.05						
Method Blank	< 0.01	< 5	< 10	< 3	< 3	< 2	< 0.01	< 2	< 0.8	< 0.2	40	0.3	< 2	< 0.3	< 0.1	< 0.1	< 0.05	< 0.2	0.2	< 0.7	< 0.2	< 10	< 0.2
Method Blank	< 0.01						< 0.01										< 0.05						

Analyte Symbol	K	La	Li	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pr	Rb	S	Sb	Se	Si	Sm	Sn	Sr	Ta	Tb	Te	Th
Unit Symbol	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.4	15	0.01	3	1	2.4	0.4	10	0.8	0.1	0.4	0.01	2	8	0.01	0.1	0.5	3	0.2	0.1	6	0.1
Method Code	FUS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
PTM-1a Meas									> 10000				23.1										
PTM-1a Cert									474400.00				22.4										
NIST 696 Meas																							
NIST 696 Cert																							
Oreas 74a (Fusion) Meas									> 10000				7.50			15.6							
Oreas 74a (Fusion) Cert									32400.00				7.25			15.14							
OREAS 101a (Fusion) Meas	2.2	841		1.17	962	21		447			135						49.3				5.9		35.0
OREAS 101a (Fusion) Cert	2.34	816		1.23	964	22		403			134						48.8				5.92		36.6
NCS DC86314 Meas			> 10000										> 5000						147				
NCS DC86314 Cert			18100.00										11400						152				
NCS DC86313 Meas						4																	
NCS DC86313 Cert						3.37																	
CZN-4 Meas										1780			> 25.0		92	0.28							
CZN-4 Cert										1861.0000			33.07		86.7	0.295							
OREAS 183 (Fusion ICP) Meas									9620														
OREAS 183 (Fusion ICP) Cert									9830.000														
Lithium Tetraborate FX-LT 100 lot#220610B Meas			98																				
Lithium Tetraborate FX-LT 100 lot#220610B Cert			82100																				
OREAS 922 (Peroxide Fusion) Meas	2.4		31	1.63									0.37			29.6							
OREAS 922 (Peroxide Fusion) Cert	2.60		29	1.61									0.389			30.51							
OREAS 621 (Peroxide Fusion) Meas	2.2	29.3		0.50	563	14	10.5	22.0		> 5000	6.5	82.7	4.43	135		27.5			101				8.1
OREAS 621 (Peroxide Fusion) Cert	2.23	26.1		0.516	554	14	10.4	24.2		13300	6.64	89.0	4.51	146		28.1			101				8.6
CCU-1e Meas				0.71	104					> 5000			> 25.0	107									60
CCU-1e Cert				0.706	96.0					7030			35.3	104									61.8
OREAS 680 (Peroxide Fusion) Meas	1.3		< 15	3.61									5.08			20.6							
OREAS 680 (Peroxide Fusion) Cert	1.29		14.5	3.71									5.14			20.6							

Analyte Symbol	K	La	Li	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pr	Rb	S	Sb	Se	Si	Sm	Sn	Sr	Ta	Tb	Te	Th
Unit Symbol	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.4	15	0.01	3	1	2.4	0.4	10	0.8	0.1	0.4	0.01	2	8	0.01	0.1	0.5	3	0.2	0.1	6	0.1
Method Code	FUS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
OREAS 139 (Peroxide Fusion) Meas	3.3		45	0.49									16.7			16.7							
OREAS 139 (Peroxide Fusion) Cert	3.30		40.4	0.501									16.04			16.34							
OREAS 624 (Peroxide Fusion) Meas	1.0	16.4	< 15	1.29	659	16	5.8	13.4		> 5000	3.6	35.4	13.3	71		20.3		50					4.0
OREAS 624 (Peroxide Fusion) Cert	0.991	17.3	10.3	1.31	660	17.8	5.78	16.8		6120	4.27	33.0	13.2	72.0		20.5		47.6					4.12
OREAS 124 (Peroxide Fusion) Meas	2.7	19.8		0.22	703			19.3			5.3	81.0				> 30.0	3.6				0.5		5.8
OREAS 124 (Peroxide Fusion) Cert	2.62	21.6		0.224	700			20.8			5.39	86.0				38.2	4.21				0.480		5.74
AMIS 0346 (Peroxide Fusion) Meas																							
AMIS 0346 (Peroxide Fusion) Cert																							
NCS DC73520 Meas													0.45										
NCS DC73520 Cert													0.44										
OREAS 148 (Peroxide Fusion) Meas	1.6		4790	0.46												> 30.0							
OREAS 148 (Peroxide Fusion) Cert	1.5		4760	0.47												36.0							
Method Blank	< 0.1		< 15	< 0.01									0.01			< 0.01							
Method Blank	< 0.1		< 15	< 0.01									< 0.01			< 0.01							
Method Blank	< 0.1		< 15	< 0.01									0.02			< 0.01							
Method Blank	< 0.1		< 15	< 0.01									0.01			< 0.01							
Method Blank	< 0.1		< 15	< 0.01									0.01			< 0.01							
Method Blank	< 0.1	< 0.4	< 15	< 0.01	4	2	< 2.4	< 0.4	< 10	1.6	< 0.1	2.0	0.01	< 2	< 8	< 0.01	< 0.1	1.3	13	< 0.2	< 0.1	6	< 0.1
Method Blank	< 0.1		< 15	< 0.01									0.01			< 0.01							



Analyte Symbol	Ti	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Method Code	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2
PTM-1a Meas									
PTM-1a Cert									
NIST 696 Meas					402				
NIST 696 Cert					403.00 00				
Oreas 74a (Fusion) Meas									
Oreas 74a (Fusion) Cert									
OREAS 101a (Fusion) Meas	0.38		2.5	419	82		184	19.5	
OREAS 101a (Fusion) Cert	0.395		2.90	422	83		183	17.5	
NCS DC86314 Meas						74.6			
NCS DC86314 Cert						79.0			
NCS DC86313 Meas									
NCS DC86313 Cert									
CZN-4 Meas									> 10000
CZN-4 Cert									550700 .00
OREAS 183 (Fusion ICP) Meas									100
OREAS 183 (Fusion ICP) Cert									82.0000
Lithium Tetraborate FX-LT 100 lot#220610B Meas									
Lithium Tetraborate FX-LT 100 lot#220610B Cert									
OREAS 922 (Peroxide Fusion) Meas	0.45								
OREAS 922 (Peroxide Fusion) Cert	0.439								
OREAS 621 (Peroxide Fusion) Meas	0.18	1.8		2.9	32	3.1	13.9	1.1	> 10000
OREAS 621 (Peroxide Fusion) Cert	0.181	2.0		3.0	36.3	2.6	13.9	1.03	52200
CCU-1e Meas		2.7							> 10000
CCU-1e Cert		2.69							30200
OREAS 680 (Peroxide Fusion) Meas	0.51								
OREAS 680 (Peroxide Fusion) Cert	0.523								

Analyte Symbol	Ti	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Method Code	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2
OREAS 139 (Peroxide Fusion) Meas	0.16								
OREAS 139 (Peroxide Fusion) Cert	0.157								
OREAS 624 (Peroxide Fusion) Meas	0.15	1.1		1.3	32	4.5	14.5	1.6	> 10000
OREAS 624 (Peroxide Fusion) Cert	0.146	0.940		1.34	43.3	4.58	17.3	1.94	24100
OREAS 124 (Peroxide Fusion) Meas	0.26		0.2	1790	27		15.3	2.0	
OREAS 124 (Peroxide Fusion) Cert	0.254		0.220	1790	23.3		14.2	1.63	
AMIS 0346 (Peroxide Fusion) Meas	14.9				2780				
AMIS 0346 (Peroxide Fusion) Cert	15.0				2700				
NCS DC73520 Meas									
NCS DC73520 Cert									
OREAS 148 (Peroxide Fusion) Meas	0.35								
OREAS 148 (Peroxide Fusion) Cert	0.35								
Method Blank	< 0.01								
Method Blank	< 0.01								
Method Blank	< 0.01								
Method Blank	< 0.01								
Method Blank	< 0.01								
Method Blank	< 0.01	< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	< 0.1	< 30
Method Blank	< 0.01								